

Dissertation Proposal

Department of Computer Science and Engineering,
University at Buffalo

Semantic Facial Image Retrieval from Distributed Databases

Zhi Zhang

Thesis Committee: Dr. Venu Govindaraju (Chair)
Dr. Peter D. Scott
Dr. Vipin Chaudhary

Time: May 17th, 2007; 10:00 AM

Place: CEDAR Conference Room

Abstract

Existing face retrieval systems require as input the image or sketch of the target face. Hence synthesis of the target face image must be first accomplished to initiate the retrieval process. However the most natural way in which people describe a face is by verbally (semantically) describing the facial features. Current automated systems cannot directly take advantage of the verbal description of a face in searching face databases. We propose a novel solution to the problem of searching large (millions of records) databases of faces by incorporating the use of semantic description of the face. Analogous to the broad pattern classes of fingerprints (arch, loop, etc.) that are used to filter large fingerprint databases, semantic features of faces will be used to organize and filter large face databases.

We will build an interactive browsing and searching system for facial databases. The semantic tags (meta-data) will be automatically extracted before the querying process begins (offline) and is in contrast to the manual tagging and content description languages used in multi-media retrieval systems. The system will prompt the user to provide information about facial features of the targeted face that best distinguishes the person from the top choices returned by the retrieval process during a querying session. It will supplement mug-shot retrieval systems by providing an effective and efficient filter based on “soft” features that are likely to be orthogonal to the features used by standard face verification algorithms. It will be also capable of matching faces in unconstrained backgrounds (frontal shots in non-ideal conditions) such as those frequently found in video surveillance. Locating the face and then localizing the facial features, automatic classification of features to generate semantic tags, and developing a probabilistic browsing system will call for advances in computer vision and face image processing techniques.

We will also explore parallel computing approaches to process searches across large distributed databases of faces. We will use a dynamic database management system (DB2 QMF V9) to process images and meta-data. A key issue that we will address is the amount of processing that can be accomplished at the storage disks compared to a central server. We will validate our approach on three publicly available datasets: The Cohn-Kanade AU-Coded Facial Expression Database, the AR Face Database and The Color Facial Recognition Technology (FERET) Database.